



General

☒ ALLERGY: _____

Diagnosis (check all that apply):

- ☐ O99.012 Anemia complicating pregnancy, second trimester ☐ O99.013 Anemia complicating pregnancy, third trimester
☐ D50.9 Iron deficiency anemia, unspecified ☐ D50.8 Other Iron Deficiency Anemias

☒ Metric Measurements: Weight: _____ kilograms; Height: _____ centimeters.

☒ OK to start infusion on date _____ based on labs dated _____

☒ Number of weeks gestation at time of order _____

Laboratory

- ☒ Ensure ordering provider to include/ attach a copy of current (within 30 days) lab results with this order set:
CBC, Iron Panel (Iron, Transferrin, % TRF) and Ferritin

Nursing Orders

- ☒ Hypersensitivity / Anaphylaxis Management for Outpatient Infusions / Desensitization Order-Set
Note: epinephrine and methylprednisolone (Solu-medrol) are pregnancy category C
- ☒ Vital signs: baseline and every 30 minutes until discharge
- ☒ Hold patient 30 minutes post-infusion to observe for any signs and symptoms of hypersensitivity reactions

Hydration Orders

- ☒ Sodium chloride 0.9% 500 mL IV x 1 bag at 500 mL/hour as needed to decrease vein discomfort

Medication Orders

Iron Sucrose (Venofer)

- ☐ Iron sucrose 200 mg in sodium chloride 0.9% 100 mL IV over 30 minutes once a week x 5 doses
- ☐ Iron sucrose 200 mg in sodium chloride 0.9% 100 mL IV over 30 minutes twice a week x 5 doses
- ☐ Other _____

MD Print name _____

MD Contact #: _____

MD Signature _____

DATE ____/____/____ TIME ____:____

Patient Name:

Date of Birth: